

References on PTSD in Special Populations: The Cognitive Restructuring Program

- Bolton, E. E., & Mueser, K. T. (2009). Borderline personality disorder. In K. T. Mueser & S. D. Rosenberg & H. J. Rosenberg (Eds.), *Treatment of Posttraumatic Stress Disorder in Special Populations: A Cognitive Restructuring Program* (pp. 225-238). Washington, DC: American Psychological Association.
- Bolton, E. E., Mueser, K. T., & Rosenberg, S. D. (2006). Symptom correlates of posttraumatic stress disorder in clients with borderline personality disorder. *Comprehensive Psychiatry*, *47*, 357-361.
- Capone, C., Eaton, E., McGrath, A. C., & McGovern, M. P. (2014). Integrated cognitive behavioral therapy (ICBT) for PTSD and substance use in Iraq and Afghanistan veterans: A feasibility study. *Journal of Traumatic Stress Disorders & Treatment*, *3*:4.
- Ehlers, A. (2004). CBT of PTSD in severe mental illness: A promising approach with possibilities for further development. *American Journal of Psychiatric Rehabilitation*, *7*, 201-204.
- Fite, R. (2009). Psychosis. In K. T. Mueser & S. D. Rosenberg & H. J. Rosenberg (Eds.), *Treatment of Posttraumatic Stress Disorder in Special Populations: A Cognitive Restructuring Program* (pp. 209-224). Washington, DC: American Psychological Association.
- Fortuna, L. R. (2009). Minority and refugee clients. In K. T. Mueser & S. D. Rosenberg & H. J. Rosenberg (Eds.), *Treatment of Posttraumatic Stress Disorder in Special Populations: A Cognitive Restructuring Program* (pp. 285-300). Washington, DC: American Psychological Association.
- Fowler, D. (2004). The case for treating trauma in severe mental illness: A commentary. *American Journal of Psychiatric Rehabilitation*, *7*, 205-212.
- Frounfelker, R., Vorhies Klodnick, V., Mueser, K. T., & Todd, S. (2013). Trauma and posttraumatic stress disorder among transition age youth with serious mental health conditions. *Journal of Traumatic Stress*, *26*, 409-12.
- Gelkopf, M., Roe, D., Werbeloff, N., Hasson-Ohayon, I., Mueser, K. T., Caspi, A., & Weiser, M. (2013). The prevalence of full and partial posttraumatic stress disorder among people with severe mental illness in Israel. *Journal of Nervous and Mental Disease*, *201*, 244-50.
- Goodman, L. A., Rosenberg, S. D., Mueser, K. T., & Drake, R. E. (1997). Physical and sexual assault history in women with serious mental illness: Prevalence, correlates, treatment, and future research directions. *Schizophrenia Bulletin*, *23*, 685-96.
- Goodman, L. A., Salyers, M. P., Mueser, K. T., Rosenberg, S. D., Swartz, M., Essock, S. M., Osher, F. C., & Butterfield, M. I. (2001). Recent victimization in women and men with severe mental illness: Prevalence and correlates. *Journal of Traumatic Stress*, *14*, 615-32.
- Goodman, L. A., Thompson, K. M., Weinfurt, K., Corl, S., Acker, P., Mueser, K. T., & Rosenberg, S. D. (1999). Reliability of reports of violent victimization and PTSD among men and women with SMI. *Journal of Traumatic Stress*, *12*, 587-99.
- Gottlieb, J. D., Mueser, K. T., Rosenberg, S. D., Xie, H., & Wolfe, R. (2011). Psychotic depression, posttraumatic stress disorder, and engagement in cognitive-behavioral therapy within an outpatient sample. *Comprehensive Psychiatry*, *52*, 41-49.
- Hamblen, J. L., Gibson, L. E., Mueser, K. T., & Norris, F. H. (2006). Cognitive behavioral therapy for prolonged postdisaster distress. *Journal of Clinical Psychology: In Session*, *62*, 1043-1052.

- Hamblen, J. L., Jankowski, M. K., Rosenberg, S. D., & Mueser, K. T. (2004). Cognitive-behavioral treatment for PTSD in people with severe mental illness: Three case studies. *American Journal of Psychiatric Rehabilitation, 7*, 147-170.
- Hamblen, J. L., & Norris, F. H. (2007). *Project Recovery Evaluation: CBT for Postdisaster Distress*. White River Junction, VT: National Center for PTSD.
- Hamblen, J. L., Norris, F. H., Gibson, R. W., & Lee, L. (2010). Training community therapists to deliver cognitive behavioral therapy in the aftermath of disaster. *International Journal of Emergency Mental Health, 12*, 33-40.
- Hamblen, J. L., Norris, F. H., & Mueser, K. T. (2009). Disaster, terrorism, and other mass violence. In K. T. Mueser & S. D. Rosenberg & H. J. Rosenberg (Eds.), *Treatment of Posttraumatic Stress Disorder in Special Populations: A Cognitive Restructuring Program* (pp. 267-283). Washington, DC: American Psychological Association.
- Hamblen, J. L., Norris, F. H., Pietruszkiewicz, S., Gibson, L., Naturale, A., & Louis, C. (2009). Cognitive behavioral therapy for postdisaster distress: A community based treatment program for survivors of Hurricane Katrina. *Administration and Policy in Mental Health, 36*, 206-214.
- Hardy, A., Smith, B., Gottlieb, J. D., Mueser, K. T., & Steel, C. (2013). CBT for post-traumatic stress disorder and psychosis. In C. Steel (Ed.), *CBT for Schizophrenia: Evidence-Based Interventions and Future Directions* (pp. 35-56). West Sussex, Great Britain: Wiley.
- Jankowski, M. K., Mueser, K. T., & Rosenberg, S. D. (2006). Psychosis and comorbid trauma. In W. Larkin & A. P. Morrison (Eds.), *Trauma and Psychosis* (pp. 75-100). London: Routledge.
- Jankowski, M. K., Rosenberg, H. J., Rosenberg, S. D., & Mueser, K. T. (2011). *Coping with Stress: A CBT Program for Teens with Trauma*. Center City, MN: Hazelden.
- Lu, W., Fite, R., Kim, E., Hyer, L., Yanos, P. T., Mueser, K. T., & Rosenberg, S. D. (2009). Cognitive-behavioral treatment of PTSD in severe mental illness: Pilot study replication in an ethnically diverse population. *American Journal of Psychiatric Rehabilitation, 12*, 73-91.
- Lu, W., Mueser, K. T., Rosenberg, S. D., & Jankowski, M. K. (2008). Correlates of adverse childhood events in adults with major mood disorders. *Psychiatric Services, 59*, 1018-1026.
- Lu, W., Mueser, K. T., Shami, A., Siglag, M., Petrides, G., Schoepp, E., Putts, M., & Saltz, J. (2011). Post-traumatic reactions to psychosis in people with multiple psychotic episodes. *Schizophrenia Research, 127*, 66-75.
- Lu, W., Yanos, P. T., Gottlieb, J. D., Duva, S. M., Silverstein, S. M., Xie, H., Rosenberg, S. D., & Mueser, K. T. (2012). Using fidelity assessments to train frontline clinicians in the delivery of cognitive-behavioral therapy for PTSD in persons with serious mental illness. *Psychiatric Services, 63*, 785-792.
- Lu, W., Yanos, P. T., Silverstein, S. M., Mueser, K. T., Rosenberg, S. D., Gottlieb, J. D., Duva, S. M., Kularatne, T., Dove-Williams, S., Paterno, D., Hawthorne-Seraie, D., & Giacobbe, G. (2013). Public mental health clients with severe mental illness and probable posttraumatic stress disorder: Trauma exposure and correlates of symptom severity. *Journal of Traumatic Stress, 26*, 266-271.
- Marcello, S. C., Hilton-Lerro, K., & Mueser, K. T. (2009). Cognitive behavioral therapy for posttraumatic stress disorder in persons with psychotic disorders. *Clinical Case Studies, 8*, 438-453.

- McGovern, M. P., Alterman, A. I., Drake, K. M., & Dauten, A. P. (2009). Co-occurring posttraumatic stress disorder and substance use disorder in addiction treatment settings. In K. T. Mueser & S. D. Rosenberg & H. J. Rosenberg (Eds.), *Treatment of Posttraumatic Stress Disorder in Special Populations: A Cognitive Restructuring Program* (pp. 239-254). Washington, DC: American Psychological Association.
- McGovern, M. P., Lambert-Harris, C., Acquilano, S., Weiss, R. D., & Xie, H. (2009). A cognitive behavioral therapy for co-occurring substance use and posttraumatic stress disorders. *Addictive Behaviors, 34*, 892-897.
- McGovern, M. P., Lambert-Harris, C., Alterman, A. I., Xie, H., & Meier, A. (2011). A randomized controlled trial comparing integrated cognitive behavioral therapy versus individual addiction counseling or co-occurring substance use and posttraumatic stress disorders. *Journal of Dual Diagnosis, 7*, 207-227.
- McGovern, M. P., Mueser, K. T., Hamblen, J. L., & Jankowski, M. K. (2010). *Cognitive-Behavioral Therapy for PTSD: A Program for Addiction Professionals*. Center City, MN: Hazelden.
- Meier, A., Lambert-Harris, C., McGovern, M. P., Xie, H., An, M., & McLeman, B. (2014). Co-occurring prescription opioid use problems and posttraumatic stress disorder symptom severity. *American Journal of Drug and Alcohol Abuse, 40*, 304-11.
- Meyer, P. S., & Mueser, K. T. (2011). Resiliency in persons with serious mental illness. In S. Southwick, D. Charney, M. J. Friedman & B. Litz (Eds.), *Resilience: Responding to Challenges Across the Lifespan* (pp. 276-88). Cambridge, England: Cambridge University Press.
- Minsky, S., Lu, W., Silverstein, S. M., Gara, M., Gottlieb, J. D., & Mueser, K. T. (in press). PTSD screening, clinical diagnosis, ethnicity, service use, and self-reported symptoms and function. *Psychiatric Services*.
- Mueser, K.T. (2013). Trauma, post-traumatic stress disorder, and schizophrenia. *Acta Psychiatrica Scandinavica, 127*, 440-441.
- Mueser, K. T., Bolton, E. E., Carty, P. C., Bradley, M. J., Ahlgren, K. F., DiStaso, D. R., Gilbride, A., & Liddel, C. (2007). The trauma recovery group: A cognitive-behavioral program for PTSD in persons with severe mental illness. *Community Mental Health Journal, 43*, 281-304.
- Mueser, K. T., Bolton, E. E., & Rosenberg, S. D. (2007). Integrating psychosocial treatment for PTSD and severe mental illness. *Psychiatric Times, 24*(7), 33-35.
- Mueser, K. T., & Cook, J. A. (2013). From tragedy to healing. *Psychiatric Rehabilitation Journal, 36*, 63-64.
- Mueser, K. T., Goodman, L. A., Trumbetta, S. L., Rosenberg, S. D., Osher, F. C., Vidaver, R., Auciello, P., & Foy, D. W. (1998). Trauma and posttraumatic stress disorder in severe mental illness. *Journal of Consulting and Clinical Psychology, 66*, 493-499.
- Mueser, K. T., Gottlieb, J. D., Xie, H., Lu, W., Yanos, P. T., Rosenberg, S. R., Silverstein, S. M., Duva, S. M., Minsky, S., Wolfe, R., & McHugo, G. J. (2015). What does cognitive restructuring add to education and breathing retraining for PTSD in severe mental illness? *British Journal of Psychiatry, 206*, 501-508.
- Mueser, K. T., & Lu, W. (2012). Traumatic stress in special populations. In J. G. Beck & D. M. Sloan (Eds.), *The Oxford Handbook of Traumatic Stress Disorders* (pp. 128-40). New York: Oxford.
- Mueser, K. T., Lu, W., Rosenberg, S. D., & Wolfe, R. (2010). The trauma of psychosis:

- Posttraumatic stress disorder and recent onset psychosis. *Schizophrenia Research*, 116, 217-227.
- Mueser, K. T., & Rosenberg, S. R. (2003). Treating the trauma of first episode psychosis: A PTSD perspective. *Journal of Mental Health*, 12, 103-108.
- Mueser, K. T., & Rosenberg, S. D. (2008). Psychosis. In G. Reyes & J. D. Elhai & J. D. Ford (Eds.), *The Encyclopedia of Psychological Trauma* (pp. 543-551). New York: Wiley.
- Mueser, K. T., Rosenberg, S. D., Jankowski, M. K., Hamblen, J. L., & Descamps, M. (2004). A cognitive-behavioral treatment program for posttraumatic stress disorder in severe mental illness. *American Journal of Psychiatric Rehabilitation*, 7, 107-146.
- Mueser, K. T., Rosenberg, S. D., & Rosenberg, H. J. (2009). *Treatment of Posttraumatic Stress Disorder in Special Populations: A Cognitive Restructuring Program*. Washington, DC: American Psychological Association.
- Mueser, K. T., Rosenberg, S. D., Goodman, L. A., & Trumbetta, S. L. (2002). Trauma, PTSD, and the course of schizophrenia: An interactive model. *Schizophrenia Research*, 53, 123-143.
- Mueser, K. T., Rosenberg, S. R., Xie, H., Jankowski, M. K., Bolton, E. E., Lu, W., Hamblen, J. L., Rosenberg, H., McHugo, G. J., & Wolfe, R. (2008). A randomized controlled trial of cognitive-behavioral treatment of posttraumatic stress disorder in severe mental illness. *Journal of Consulting and Clinical Psychology*, 76, 259-271.
- Mueser, K. T., Salyers, M. P., Rosenberg, S. D., Ford, J. D., Fox, L., & Carty, P. (2001). A psychometric evaluation of trauma and PTSD assessments in persons with severe mental illness. *Psychological Assessment*, 13, 110-117.
- Mueser, K. T., Salyers, M. P., Rosenberg, S. D., Goodman, L. A., Essock, S. M., Osher, F. C., Swartz, M. S., & Butterfield, M. (2004). Interpersonal trauma and posttraumatic stress disorder in patients with severe mental illness: Demographic, clinical, and health correlates. *Schizophrenia Bulletin*, 30, 45-57.
- Mueser, K. T., & Taub, J. (2008). Trauma and PTSD in adolescents with severe emotional disorders involved in multiple service systems. *Psychiatric Services*, 59, 627-634.
- Najavits, L. M., Ryngala, D., Back, S. E., Bolton, E. E., Mueser, K. T., & Brady, E. T. (2009). Treatment of PTSD and comorbid disorders. In E. B. Foa & T. M. Keane & M. J. Friedman & J. A. Cohen (Eds.), *Treatments for PTSD: Practice Guidelines from the International Society for Traumatic Stress Studies* (Second ed., pp. 508-535). New York: Guilford Press.
- Prins, A., Cimpean, D., & Schnurr, P. P. (2009). Treatment in primary care settings. In K. T. Mueser & S. D. Rosenberg & H. J. Rosenberg (Eds.), *Treatment of Posttraumatic Stress Disorder in Special Populations: A Cognitive Restructuring Program* (pp. 301-314). Washington, DC: American Psychological Association.
- Rosenberg, H. J., & Jankowski, M. K. (2009). Adolescents. In K. T. Mueser & S. D. Rosenberg & H. J. Rosenberg (Eds.), *Treating Post-traumatic Disorders in Special Populations: A Cognitive Restructuring Program* (pp. 255-266). Washington, DC: American Psychological Association.
- Rosenberg, H. J., Jankowski, M. K., Fortuna, L. R., Rosenberg, S. D., & Mueser, K. T. (2011). A pilot study of a cognitive restructuring program for treating posttraumatic disorders in adolescents. *Psychological Trauma: Theory, Research, Practice, and Policy*, 3, 94-99.
- Rosenberg, S. D., Lu, W., Mueser, K. T., Jankowski, M. K., & Cournos, F. (2007). Correlates of adverse childhood events in adults with schizophrenia spectrum disorders. *Psychiatric*

- Services*, 58, 245-253.
- Rosenberg, S. D., & Mueser, K. T. (2008). Trauma and posttraumatic stress syndromes. In K. T. Mueser & D. V. Jeste (Eds.), *Clinical Handbook of Schizophrenia* (pp. 447-458). New York: Guilford Press.
- Rosenberg, S. D., Mueser, K. T., Friedman, M. J., Gorman, P. G., Drake, R. E., Vidaver, R. M., Torrey, W. C., & Jankowski, M. K. (2001). Developing effective treatments for post-traumatic disorders: A review and proposal. *Psychiatric Services*, 52, 1453-1461.
- Rosenberg, S. D., Mueser, K. T., Jankowski, M. K., Salyers, M. P., & Acker, K. (2004). Cognitive-behavioral treatment of posttraumatic stress disorder in severe mental illness: Results of a pilot study. *American Journal of Psychiatric Rehabilitation*, 7, 171-186.
- Rosenberg, S. D., Trumbetta, S. L., Mueser, K. T., Goodman, L. A., Osher, F. C., Vidaver, R. M., & Metzger, D. S. (2001). Determinants of risk behavior for HIV/AIDS in people with severe and persistent mental illness. *Comprehensive Psychiatry*, 42, 263-271.
- Saunders, E. C., Lambert-Harris, C., McGovern, M. P., Meier, A., & Xie, H. (in press). The prevalence of posttraumatic stress disorder symptoms among addiction treatment patients with cocaine use disorders. *Journal of Psychoactive Drugs*.
- Swarbrick, M. (2004). A cognitive behavioral treatment program: Practical considerations. *American Journal of Psychiatric Rehabilitation*, 7, 193-199.